



DEPARTMENT OF HEALTH AND HUMAN SERVICES  
Division of Health  
201 Wheatsworth Road  
Hamburg, New Jersey 07419  
Telephone: (973) 579-0370  
FAX: (973) 579-0399

Carol A. Novrit, Administrator  
Department of Health and Human Services

Lama Chaddad MD\*, MPH  
Director, Division of Health

## County of Sussex

---

### SEPTIC AND WELL DISTANCE REFERENCE GUIDE

#### Habitable dwelling and commercial building

- 25 ft from basement to septic field disposal
- 15 ft from slab portion to septic field disposal
- 50 ft from basement to septic pit disposal
- 30 ft from slab portion to septic pit disposal
- 10 ft from basement to septic tank
- 5 ft from slab portion to septic tank
- 20 ft from any portion of a wood structure to a well
- 5 ft from any portion of a structure (other than wood) to a well
  - ❖ A well cannot be covered by any structure
  - ❖ No part of the septic system components or well shall be covered by; driveway, pool, addition, patios, deck\*, etc.
  - ❖ A clearance of five feet shall be maintained from any portion of the septic system components to structures such as: garage, shed, deck, pole barn
    - DECK-can be covering a septic tank if the distance between the bottom of the deck and the existing ground surface is a minimum of 6 ft and a backhoe can gain access to the tank

#### SWIMMING POOLS

##### IN-GROUND:

- 10 ft to septic tank
- 20 ft to septic field disposal
- 30 ft to septic pit disposal

##### ABOVE GROUND

- 5 ft to all components of septic system (except. 15 ft to seepage pit)

#### BEDROOMS

- The addition of a bedroom in an existing home does require the upgrade of the septic system to current standards.

#### COMMERCIAL BUILDINGS

- Change of use in a building to a food establishment shall require the review by the health department before building permits are issued
  - *It is the responsibility of the applicant to accurately plot the septic system components on the submitted site plan for building permits when applicable. If no files exist depicting the accurate location of the septic system components, the applicant shall employ a licensed professional engineer to locate and certify the location and size of the septic system components under signature and seal.*